


Model 8700-E4



K e g i o m
l i f t i n g



gru . crane . kran . grue . grúa . guindaste

Dimensioni Generali - Generals Dimensions - Dimensions G n rales
Gesamtabmessungen - Dimensiones Generales




Tabella portata (stabilizzatori tutti estesi)
Lifting Capacity Chart (outriggers fully extended)
Tableau de Charge (stabilisateurs  tendus max.)
Hublasttabelle (Abst tzung ganz ausgefahren)
Tablero de Carga (estabilizadores a la m x extensi n)







Tabella portata (stabilizzatori min. estesi)
Lifting Capacity Chart (outriggers min. extended)
Tableau de Charge (stabilisateurs  tendus min.)
Hublasttabelle (Abst tzung min. ausgefahren)
Tablero de Carga (estabilizadores a la min. extensi n)



					
Motore diesel avviamento elettr.	Motor diesel electric starting	Dieselmotor Elektrostarter			
Capacità serbatoio	Tank capacity	Tankkapazität			
Trazione idrostatica a 2 velocità	Drive system hydrostatics to 2 speeds	Hydrostatischer Antrieb mit 2 Geschwindigkeiten			
Angolo di rampa	Ramp angle	Steigungswinkel			
Cingoli in gomma	Tracks in rubber	Raupenketten aus Gummi			
Portata max	Max lifting	Max.Tragfähigkeit			
Sbraccio massimo	Max working radius	Max.Ausladung			
Altezza massima	Max.working height	Tragfähigkeit bei max.Ausladung			
Fune	Winch rope	Seil			
Rotazione	Rotation	Umdrehung			
Stabilizzatori	Outriggers	Abstützung			
Pressione al suolo	Max track loading	Bodendruck			
Comandi elettrico proporzionali	Electricals proportionals control	Elektrische proportionale Steuerung			
Limitatore di momento	Automatic limiting device	Automatische Grenzlastregelung			
Pressione max	Max pressure	Max Betriebsdruck			
Dimensioni Gru	Dimensions crane	Abmessungen Kran			
Peso	Weight	Gewicht			

OPTIONALS

	Verricello Winch Treuil Seilwinde Cabrestante
	Elettropompa 115-220-380 V Electric pump 115-220-380 V Pompe électrique 115-220-380 V Elektrische pumpe 115-220-380 V Bomba eléctrica 115-220-380 V
	Radiocomando Radio remote control Radiocommande Funkfernsteuerung Radiocomando
	Cestello Basket Nacelle Personenkorb Cesta

	Prolunghe meccaniche Manuals extensions Rallonges manuelles Manuelle verlängerung Alargadores mecánicos
	Allargamento idraulico cingoli mm. 750/1050 Widening hydraulic tracks mm. 750/1050 Élargissement hydraulique des chenilles mm. 750/1050 Hydraulisch ausfahrbare raupenketten mm. 750/1050 Ensanche hidráulicos orugas mm. 750/1050
	Sollevatore a ventosa portata max +0 400 - 1200 Kg Vacuum lifter max lifting +0 400 - 1200 Kg élevateur à vide carga maxima +0 400 - 1200 Kg levantador de vacío capacidad max +0 400 - 1200 Kg Vakuumheber max Tragfähigkeit +0 400 - 1200 Kg



Dealer



Kegiom Lifting S.r.l. - Via Duchessa di Galliera, 12
15076 Ovada (AL) - Italy

Tel./Fax (+39) 0143 822031 - 46541

e-mail: info@kegiom.com - web: www.kegiom.com

C.F. e P. Iva 01956070062 - C.C.I.A.A. Alessandria n. 213887

Kegiom si riserva il diritto di apportare qualsiasi modifica senza preavviso nè responsabilità.
Kegiom reserves the right to make changes without prior notice or responsibility.

